



Copper cathodes

Copper cathodes

Producer – Division of KGHM Polska Miedź S.A.	Brand	Cathode dimensions (length x width x thickness) in mm Cathode weight in kg	Bundle dimensions (length x width x height) in mm Bundle weight in kg	Packing
Głogów Copper Smelter I	HMG-S	Approx. 910 x 910 x 14 Average 112 kg (80–145 kg)	Approx. 950 x 1070 x 300–500 Approx. 1900 kg (1500–2100 kg)	Bundles of 15–19 cathodes tied with 1–3 strips
Głogów Copper Smelter II	HMG-B	Approx. 1030 x 1030 x 16 Average 115 kg (80–130 kg)	Approx. 1170 x 1050 x 300–500 Approx. 1900 kg (1650–2100 kg)	Bundles of 15–18 cathodes tied with 1–3 strips
Legnica Copper Smelter	HML	Approx. 910 x 780 x 15 Average 100 kg (90–110 kg)	Approx. 1045 x 810 x 300–500 Approx. 2200 kg (1900–2400 kg)	Bundles of 22–23 cathodes on average tied with 1–3 strips

- The producer meets the requirements of the BS EN 1978:1998 standard.
- All brands are listed on the London Metal Exchange (LME) as grade A in accordance with BS EN 1978:1998 and on the Shanghai Futures Exchange (SHFE).
- Minimum copper content – 99.99%.
- KGHM Polska Miedź S.A., Głogów Copper Smelter Division has certificates confirming that the Division operates in the field of production of electrolytic copper in the form of cathodes on the basis of the Integrated Management System that meets the requirements of the following standards: ISO 9001:2008, ISO 14001:2004 and BS OHSAS 18001:2007.
- KGHM Polska Miedź S.A., Legnica Copper Smelter Division has certificates of the Integrated Management System confirming compliance with the requirements of the following standards: ISO 9001:2009, ISO 14001:2005, PN-N 18001:2004 and OHSAS 18001:2007.
- KGHM Polska Miedź S.A. also has the AEO Certificate – Customs Simplifications/Security and Safety No. PLAE0F450000090020.



KGHM Polska Miedź S.A.

Metals Department

ul. Marii Skłodowskiej-Curie 48, 59-301 Lubin, Poland

tel. +48 76 74 78 807, 813, 815, 858, 868, 942

fax +48 76 74 78 506

www.kghm.com